

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S38	17	"717"/\$.ccls. (((zero with length) or null) with header) (instrument\$6 or compil\$6 or context or stack or re\$1stor\$3 or re\$1wind\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:32
S37	42	"717"/\$.ccls. (((zero with length) or null) with header) (instrument\$6 or compil\$6 or context or stack or re\$1stor\$3 or re\$1wind\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:29
S36	40	"717"/\$.ccls. (((zero with length) or null) with header) (instrument\$6 or compil\$6 or context or stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:29
S35	44	"717"/\$.ccls. (((zero with length) or null) with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:29
S32	41	(((zero with length) with header) same table) (instrument\$6 or compil\$6 or context or stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:28
S30	308	(((zero with length) or null) with header) same table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:26
S34	35	((zero with length) with header) (instrument\$6 or compil\$6 or context or stack).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:06
S33	5	(((zero with length) with header) same table) (instrument\$6 or compil\$6 or context or stack).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 07:02
S31	77	(((zero with length) with header) same table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 06:59

## EAST Search History

S29	5	((((zero with length) or null) with header) same table) instrument\$6 context stack compil\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 06:58
S28	11	((((zero with length) or null) with header) instrument\$6 context stack compil\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 06:41
S27	18	((((zero with length) or null) with header) instrument\$6 context stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 06:41
S1	1	09/997056 (length same header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/06 06:36
S26	11	((header with ((zero near6 leng\$4) or null)) same table) (context same (re\$1stor\$4 or re\$1wind\$3 or consisten\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 11:05
S25	32	(header with ((zero near6 leng\$4) or null)) (context same (re\$1stor\$4 or re\$1wind\$3 or consisten\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 11:04
S24	6	(header with ((zero near6 leng\$4) or null)) (context same (re\$1stor\$4 or re\$1wind\$3 or consisten\$6)) instrument\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 11:03
S23	3	(header with ((zero near6 leng\$4) or null)) (context with (re\$1stor\$4 or re\$1wind\$3 or consisten\$6)) instrument\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 11:01
S22	3	(header with ((zero near6 leng\$4) or null)) (context near6 (re\$1stor\$4 or re\$1wind\$3 or consisten\$6)) instrument\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:59

## EAST Search History

S21	12	(header with ((zero near6 leng\$4) or null)) (context near6 (re\$1stor\$4 or re\$1wind\$3 or consisten\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:58
S20	9	(header with ((zero near6 leng\$4) or null)) (context near6 (re\$1stor\$4 or re\$1wind\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:58
S19	17	(header with ((zero near6 leng\$4) or null)) (context same (re\$1stor\$4 or re\$1wind\$3)) (table or stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:56
S18	14	(header with ((zero near6 leng\$4) or null)) (instrument\$6 same (context or frame or stack or table or re\$1stor\$4 or re\$1wind\$3)) (table or stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:54
S17	205	(header with (zero or null or leng\$4)) (instrument\$6 same (context or frame or stack))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:30
S16	2209	(header with (zero or null or leng\$4)) instrument\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/05 10:29
S15	18	instrument\$6 (header with ((zero near2 length) or null)) (stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:15
S14	11	instrument\$6 (header near6 ((zero near2 length) or null)) (stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:15
S13	41	instrument\$6 (header near6 ((zero near2 length) or null))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:13

## EAST Search History

S12	320	instrument\$6 (header near6 (zero or null))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:09
S11	1425	instrument\$6 (header near6 (zero or length or null))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:08
S10	13	instrument\$6.clm. (header with (zero or length or null)) (stack same (context or frame or un\$1wind\$3 or table or block or switch\$3 or re\$1stor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:08
S9	127	instrument\$6.clm. (header with (zero or length or null))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/03 07:04
S8	14	(new near6 header) ((null) with header) (instrument\$6 (stack or frame or re\$1wind\$3 or un\$1wind\$3 or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:46
S7	6	(new near6 header) ((zero near4 length) with header) (instrument\$6 (stack or frame or re\$1wind\$3 or un\$1wind\$3 or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:46
S6	1	(new near6 header) ((zero near4 length) with header) (instrument\$6 same (stack or frame or re\$1wind\$3 or un\$1wind\$3 or context))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:43
S5	52	(new near6 header) ((zero near4 length) with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:41
S4	576	(new near6 header) (zero near4 length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:41

## EAST Search History

S3	19	(new with header with zero with length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:40
S2	1	09/997056 (zero)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/30 11:37